Focale44 bicycles

Photo : Studio Ze www.zestudio.com



We love bikes

Some of us ride BMX, some of us ride MTB, some of us ride road bike. None of us wants to use BMX, MTB nor road bike for in-city transportation. So we dediced to create Focale 44, dedicated to urban use. Focale 44 is the third brand from BMX Groupment, our company. Our other brands are Superstar (BMX street/park) and St-Martin (BMX flatland). We come from BMX. However, we are interested in all kind of bikes for both physical activity and way of transportation.

Why Focale 44 ?

Summer 2008 : while the project is growing in our minds, we found a good name "Steroïd Cycles". We liked it. However, some of our distributors thought that name might be a problem, as steroids don't have a good image. So we had to find a new name. During more than 6 months, we searched a name. When one suggested a word, the other did not like it. We became crazy about that until that day : "And do you like « Focal » ? " For once, we all agreed. We added an "E" to make it more french. And we added "44" to make the name longer. Why 44 ? No real reason. At last, we had our brand name : Focale 44. After that, a friend told us that, in photography, the 43/44 mm focal length is very similar to what the human eye can see. Simple coincidence...

NOBLE Complete BIKE



MODERN CLASSICAL frame and fork design

- 3 sizes : 52 cm, 55 cm, 58 cm
- full 4130 Cr-Mo frame and fork
- track handlebar/stem Cr-Mo combo
- 46/16 gear ratio
- sealed bearings BB set
- plastic BMX type pedals
- sealed bearings hubs

- flip flop rear hub (fixed/freewheel)
- 1/2"x1/8" chain
- 300 mm long seat post and 15 mm stem spacers for perfect setting
- plastic but confortable saddle
- built to last, around 10.8 kg / 23.8 lbs
- 2010 first color : mate black

Pictured without brakes. However, every Noble is delivered with brakes, freewheel and fixed sprocket. You can choose your riding style.

INOBLE Complete BIKE













Frame	Full 4130 Cr-Mo, 3 sizes, 120 mm hub spacing, weld-on seat clamp
Fork	Full 4130 Cr-Mo, 1-1/8", short rake
Head set	Integrated, Campagnolo style + 2 spacers (10 mm + 5 mm)
Handlebar/stem	1-piece track combo, heat treated 4130 Cr-Mo
	90 mm stem, 420 mm width
Grips	Keirin, kraton
Crank	Forged alloy, 170 mm arms, alloy chainring 46T, BCD 130 mm
BB	Tange Seiki, sealed bearings, square axle
Pedals	Wellgo BMX plastic, Cr-Mo axle
Tires	Innova 700 x 23c
Rims	Lightweight alloy, 32 holes
Hubs	High flanges, sealed bearings,
	Cr-Mo nuted axle, flip-flop (fixed/freewheel)
Spokes assembly	Radial in front, 3-cross in rear
Chain	KMC Z410, 1/2"x1/8"
Rear sprocket	16T, Cr-Mo
Freewheel	16T, not assembled on the bike
Seat post	27,2 mm, steel cups
Seat	Plastic, BMX style, 7 mm rails
Levers	Tektro, cyclocross style, not assembled on the bike
Brake calipers	Tektro, not assembled on the bike

	SIZE 52	SIZE 55	SIZE 58
Frame size (BB to top of seat tube)	530 mm / 20.9"	560 mm / 22.0"	590 mm / 23.2"
Top tube	530 mm / 20.9"	550 mm / 21.7"	580 mm / 22.8"
Head angle	74 degrees	74 degrees	74 degrees
Seat angle	75 degrees	75 degrees	75 degrees
Chain stays length (slammed)	395 mm / 15.6"	395 mm / 15.6"	395 mm / 15.6"
BB drop	65 mm / 2.6"	65 mm / 2.6"	65 mm / 2.6"
Head tube length	120 mm / 4.7"	150 mm / 5.9"	180 mm / 7.1"
Head tube standard	Campagnolo integrated	Campagnolo integrated	Campagnolo integrated
Seat post size	27.2 mm	27.2 mm	27.2 mm
Distance between dropouts	120 mm	120 mm	120 mm
···· ·· ··· ••••			

RELAX Complete BIKE





MODERN CLASSICAL frame and fork design

- 3 sizes : 52 cm, 55 cm, 58 cm
- full 4130 Cr-Mo frame and fork
- flat handlebar/stem Cr-Mo combo
- 42/16 gear ratio
- sealed bearings BB set
- plastic BMX type pedals
- sealed bearings hubs

- flip flop rear hub (fixed/freewheel)
- 1/2"x1/8" chain
- 300 mm long seat post and 15 mm stem spacers for perfect setting
- plastic but confortable saddle
- built to last, around 10.5 kg / 23 lbs
- 2010 first colors : grey, swamp green

Pictured without brakes. However, every Noble is delivered with brakes, freewheel and fixed sprocket. You can choose your riding style.

RELAX Complete BIKE













Frame Fork Head set Handlebar/stem	Full 4130 Cr-Mo, 3 sizes, 120 mm hub spacing, weld-on seat clamp Full 4130 Cr-Mo, 1-1/8", short rake Integrated, Campagnolo style + 2 spacers (10 mm + 5 mm) 1-piece flat combo, heat treated 4130 Cr-Mo 80 mm stem, 480 mm width
Grips	Keirin, no flanges
Crank	Forged alloy, 170 mm arms, alloy chainring 42T, BCD 130 mm
BB	Tange Seiki, sealed bearings, square axle
Pedals	Wellgo BMX plastic, Cr-Mo axle
Tires	Kenda Kontender 700 x 23c
Rims	Lightweight alloy, 32 holes
Hubs	High flanges, sealed bearings,
	Cr-Mo nuted axle, flip-flop (fixed/freewheel)
Spokes assembly	Radial in front, 3-cross in rear
Chain	KMC Z410, 1/2"x1/8"
Rear sprocket	16T, Cr-Mo
Freewheel	16T, not assembled on the bike
Seat post	27,2 mm, steel cups
Seat	Plastic, BMX style, 7 mm rails
Levers	Tektro, cyclocross style, not assembled on the bike
Brake calipers	Tektro, not assembled on the bike

	SIZE 52	SIZE 55	SIZE 58
Frame size (BB to top of seat tube)	530 mm / 20.9"	560 mm / 22.0"	590 mm / 23.2"
Top tube	530 mm / 20.9"	550 mm / 21.7"	580 mm / 22.8"
Head angle	74 degrees	74 degrees	74 degrees
Seat angle	75 degrees	75 degrees	75 degrees
Chain stays length (slammed)	395 mm / 15.6"	395 mm / 15.6"	395 mm / 15.6"
BB drop	65 mm / 2.6"	65 mm / 2.6"	65 mm / 2.6"
Head tube length	120 mm / 4.7"	150 mm / 5.9"	180 mm / 7.1"
Head tube standard	Campagnolo integrated	Campagnolo integrated	Campagnolo integrated
Seat post size	27.2 mm	27.2 mm	27.2 mm
Distance between dropouts	120 mm	120 mm	120 mm

Frame Kit



includes : frame + fork + headset + spacers 2010 colors : red, green, black, purple

Frame :

- 3 sizes : 52 cm, 55 cm, 58 cm
- full 4130 Cr-Mo
- long lasting reliable construction
- horizontal top tube
- integrated head tube for Campagnolo standard (1-1/8")
- engraved F44 logo in head tube
- BSA bottom bracket

- straight chain stays : allows up to 700x25c tire
- . hole for rear brake in seat stays bridge
- 4 mm Cr-Mo CNC dropouts
- weld-on seat clamp with replaceable bolt and nut
- 2090 grams / 4.6 lbs

Fork :

- full 4130 Cr-Mo
- 1-1/8" steer tube threadless
- integrated crown cone for integrated headset only
- hole for front brake
- 25.4 mm taper legs
- 33.5 mm rake
- 920 grams / 2.0 lbs

Handlebars



FLAT Handlebar/Stem combo

- 1-pc stem/handlebar combo, flat style
- full 4130 heat treated Cr-Mo
- for 1-1/8" threadless steer tube
- 80 mm stem length
- 40 mm stem height
- - 10° angle
- internal stem clamp
- 580 mm handlebar width
- 22.2 mm (7/8") handlebar 0.D.
- 3° backsweep
- o° upsweep
- color : ED-black



TRACK Handlebar/Stem combo

- 1-pc stem/handlebar combo, track style
- full 4130 heat treated Cr-Mo
- for 1-1/8" threadless steer tube
- 90 mm stem length
- 40 mm stem height
- o° angle
- internal stem clamp
- 420 mm handlebar width, axle to axle
- 110 mm reach
- 170 mm drop
- 24.0 mm handlebar 0.D.
- color : ED-black

Wheels





Front Wheel

- sealed bearings
- high flanges
- 3/8" solid Cr-Mo axle
- OLD 100 mm
- black nuts
- 32 black spokes, radial lacing
- black nipples
- alloy single wall rim, 21 mm high
- hi-pressure rim tape



Rear Wheel

- sealed bearings
- high flanges
- flip-flop : for fixed cog or freewheel
- lock-ring included
- 3/8" solid Cr-Mo axle
- OLD 120 mm
- black nuts
- 32 black spokes, 3-cross lacing
- black nipples
- alloy single wall rim, 21 mm high
- hi-pressure rim tape



Misc Parts



Brake Lever

- top mount on track handlebar
- for 0.D. 24 mm handlebars
- hinged clamp
- return spring
- right only

Keirin Grips

- smooth kraton rubber
- micro diamond design
- 175 mm long
- for 0.D. 24 mm handlebars
- close ends
- colors : black or white



Noble White tire

- 700 X 23C
- long lasting 30 dpi sidewalls
- made by Innova
- color : white

IMisc Parts





16T Sprocket

- Cr-Mo
- 16 teeth
- for 1/2" x1/8" chain
- 1.37 x 24 tpi thread

16T Lock Ring

• Cr-Mo • fits most track hub with double thread



Chainring Bolts

• set of 5 chainring bolts for single chainring



Warranty

Contact us for any warranty issue. We handle warranty issues case by case with a happy ending most of the time. However we might not replace all damaged frames or parts. Warranty does not cover normal wear and tear, misuse or neglect, or modification of the frame or part. Warranty applies only to the original owner and is not transferable. Focale 44 bikes (a) shall not be responsible for incidental or consequential damages.

Distribution

AUSTRALIA + NEW ZEALAND Kickassbmx www.kickassbmx.com bmx@kickassbmx.com

AUSTRIA La Finca (Germany) www.la-finca-distribution.de info@la-finca-distribution.de

BELGIUM + LUXEMBOURG Frenchys Distribution www.frenchys-distribution.com infos@frenchys-distribution.com

CANADA Marinoni www.marinoni.qc.ca info@marinoni.qc.ca

CZECH REPUBLIC Cykloferda www.cykloferda.cz cykloferda@seznam.cz

DENMARK Signature BMX (Finland) www.signaturebmx.com info@signaturebmx.com

ESTONIA Signature BMX (Finland) www.signaturebmx.com info@signaturebmx.com

FINLAND

+ DENMARK, ESTONIA & SWEDEN Signature BMX www.signaturebmx.com info@signaturebmx.com

FRANCE

Frenchys Distribution www.frenchys-distribution.com infos@frenchys-distribution.com

OTHERS COUNTRIES Please contact us for distribution solutions : question@focale44bikes.com

GERMANY + AUSTRIA & SWITZERLAND

La Finca www.la-finca-distribution.de info@la-finca-distribution.de

JAPAN

Dirty Bike www.dirtybike.com dirtybike@dirtybike.com

THE NETHERLANDS

SC distribution www.scdistribution.nl info@scdistribution.nl

POLAND

Proletaryat BMX www.proletaryatbmx.pl kuki@proletaryatbmx.pl

SINGAPORE

Tiong Hin www.tionghin.com sales@tionghin.com

SWEDEN

Signature BMX (Finland) www.signaturebmx.com info@signaturebmx.com

SWITZERLAND

La Finca (Germany) www.la-finca-distribution.de info@la-finca-distribution.de

UNITED KINDGOM

Zeal BMX www.zealbmx.com info@zealbmx.com

USA

Sidewall Distribution www.sidewalldistro.com