



**FOCALE 44**  
**2014 BIKES**



**A FOCALÉ 44 BIKE LASTS,  
BECAUSE IT IS WELL MADE.**



## **PAINT**

Bikes and frame kits use powder coating paint. This paint is cooked in a oven and delivers a thick and durable protection. Much stronger than commonly used liquid paint.

Only exceptions are the black Full Moon and black hi-ten frame kit. These ones are ED-black. ED means electro deposit. Tubes are black-colored by electrolytic process. Here again, stronger than liquid paint.



## **QUALITY PARTS**

Confusion is easy, "made in Taiwan" is not "made in China". Focale 44 bikes are assembled in Taiwan. Probably the best country in the world to manufacture good quality parts in mid/big quantities for a reasonable cost. Of course, some parts are bought in China (brakes, tires, saddles). Other parts including frames and forks come from Taiwan factories.



## **SEALED BEARINGS**

Most bearings on Focale 44 bikes are sealed bearings. Smooth, long-lasting and reliable. Here is the sealed bearings list per bike :

- Revolted : headset, BB set, hubs.
- Noble : headset, BB set, hubs.
- S-Express : headset, BB set, hubs.
- Full Moon : BB set.

For pricepoint reasons, Full Moon hubs are loose balls (yet reliable). As for the headset, hard to find a sealed bearings 1" threaded headset nowadays.



## **DOUBLE DUAL-THREAD REAR HUB**

All Focale 44 bikes use a rear hub with dual-thread both sides. In other words, you can mount 2 fixed cogs, one left side and one right side. This give give you 2 "speeds". Of course, it is still possible to assemble a freewheel on one side.

This double dual-thread hub is specified on the spare wheels as well.

And a reminder : every Focale 44 bike is delivered with 16T fixed cog and a 16T freewheel.



## **DOUBLE WALL RIMS**

The whole Focale 44 range rolls on double wall rims. These rims are tough, stay true longer than their single-wall counterparts, even if built with low spoke tension.

## **THICK TIRE WALLS**

Not the lightest ones for sure, Focale 44 tires bear low pressure rides and any kind of shock thanks to thick wall (30 tpi) which create a strong shell.

# 2014 BIKES

# REVOLTED

## FEATURES

- 4 sizes : 49cm, 52 cm, 55 cm, 58 cm
- full 4130 Cr-Mo frame and fork
- engraved F44 Falcon logo in head tube
- 1-1/8" integrated headset (Campagnolo standard)
- BMX frontload stem
- narrow raiser alloy handlebar
- BCD 144 mm track crank
- 46/16 gear ratio
- sealed bearings BB set, JIS taper
- plastic BMX type pedals, with new straps
- sealed bearings hubs
- flip flop rear hub (fixed both sides)
- double wall rims, hi-profile : 31 mm
- 700x28c tires
- 1/2"x1/8" chain
- 272 mm alloy seat post, 19 mm offset
- new slim saddle
- built to last, around 10.0 kg / 22 lbs
- color : blue clear coating

Every Focale 44 bike is delivered with brakes, freewheel and fixed sprocket. Bikes are shown without brakes.



## COMPLETE SPECIFICATIONS

**FRAME** Focale 44 full 4130 Cr-Mo, 4 sizes, 120 mm hub spacing, weld-on seat clamp **FORK** Focale 44 full 4130 Cr-Mo, 1-1/8", short rake **HEAD SET** F44 integrated, Campagnolo style + spacers **STEM** F44 forged/CNC, frontload, 22.2 mm bar bore, 50 mm **HANDLEBAR** F44 riser alloy, 40 mm, 480 mm wide, 22.2 mm all the way **GRIPS** Kraton, no flanges **CRANK** F44 track forged alloy, 165 mm arms, 46T alloy chainring, BCD 144 mm **BB** Tange Seiki, sealed bearings, JIS taper **PEDALS** F44 Wellgo BMX plastic, Cr-Mo axle **PEDAL STRAPS** F44 new straps, wide velcro **TIRES** Innova 700 x 28c **RIMS** F44 high profile (31 mm), wide (24 mm), double wall, 32 holes **HUBS** F44 high flanges, sealed bearings, Cr-Mo axle, flip-flop (fixed/fixed) **SPOKES ASSEMBLY** Radial in front, 3-cross in rear **CHAIN** KMC Z410, 1/2"x1/8" **REAR SPROCKET** 16T, Cr-Mo **FREEWHEEL** 16T, not assembled on the bike **SEAT POST** F44 new seat post, 272 mm, alloy, 19 mm offset **SEAT** F44 new slim saddle, 7 mm rails **LEVERS** BMX style, not assembled on the bike **BRAKE CALIPERS** Alloy, not assembled on the bike

# 2014 BIKES

# NOBLE

## FEATURES

- 4 sizes : 49cm, 52 cm, 55 cm, 58 cm
- full 4130 Cr-Mo frame and fork
- engraved F44 Falcon logo in head tube
- 1-1/8" integrated headset (Campagnolo standard)
- track handlebar/stem Cr-Mo combo
- 46/16 gear ratio
- sealed bearings BB set, JIS taper
- plastic BMX type pedals, with new straps
- sealed bearings hubs
- flip flop rear hub (fixed both sides)
- double wall rims, mid-profile : 21 mm
- 1/2"x1/8" chain
- 27.2 mm alloy seat post, 19 mm offset
- new slim saddle
- built to last, around 10.8 kg / 23.8 lbs
- color : malte black

Every Focale 44 bike is delivered with brakes, freewheel and fixed sprocket. Bikes are shown without brakes.



## COMPLETE SPECIFICATIONS

**FRAME** Focale 44 full 4130 Cr-Mo, 4 sizes, 120 mm hub spacing, weld-on seat clamp **FORK** Focale 44 full 4130 Cr-Mo, 1-1/8", short rake **HEAD SET** F44 integrated, Campagnolo style + spacers **HANDLEBAR/STEM** F44 1-piece track combo, heat treated 4130 Cr-Mo, 80 mm stem, 380 mm width **GRIPS** Keirin, kraton **CRANK** F44 forged alloy, 165 mm arms, 46T chainring, BCD 130 mm **BB** Tange Seiki, sealed bearings, JIS taper **PEDALS** F44 Wellgo BMX plastic, Cr-Mo axle, flip-flop (fixed/fixed) **SPOKES ASSEMBLY** Radial in front, 3-cross in rear **CHAIN** KMC Z410, 1/2"x1/8" **REAR SPROCKET** 16T, Cr-Mo **FREEWHEEL** 16T, not assembled on the bike **SEAT POST** F44 new seat post, 27.2 mm, alloy, 19 mm offset **SEAT** F44 new slim saddle, 7 mm rails **LEVERS** Cyclocross style, not assembled on the bike **BRAKE CALIPERS** Alloy, not assembled on the bike

# 2014 BIKES

## RELAX

### FEATURES

- 4 sizes : 49cm, 52 cm, 55 cm, 58 cm
- full 4130 Cr-Mo frame and fork
- engraved F44 Falcon logo in head tube
- 1-1/8" integrated headset (Campagnolo standard)
- flat handlebar/stem Cr-Mo combo
- 46/16 gear ratio
- sealed bearings BB set, JIS taper
- plastic BMX type pedals with new straps
- sealed bearings hubs
- flip flop rear hub (fixed both sides)
- double wall rims, mid-profile : 21 mm
- 1/2"x1/8" chain
- 27.2 mm alloy seat post, 19 mm offset
- new slim saddle
- built to last, around 10.8 kg / 23.8 lbs
- colors : bronze clear coating, red clear coating

Every Focale 44 bike is delivered with brakes, freewheel and fixed sprocket. Bikes are shown without brakes.



### COMPLETE SPECIFICATIONS

**FRAME** Focale 44 full 4130 Cr-Mo, 4 sizes, 120 mm hub spacing, weld-on seat clamp **FORK** Focale 44 full 4130 Cr-Mo, 1-1/8", short rake **HEAD SET** F44 integrated, Campagnolo style + spacers **HANDLEBAR/STEM** F44 1-piece flat combo, heat treated 4130 Cr-Mo, 75 mm stem, 480 mm width **GRIPS** Keirin, kraton **CRANK** F44 forged alloy, 165 mm arms, 46T chainring, BCD 130 mm **BB** Tange Seiki, sealed bearings, JIS taper **PEDALS** F44 Wellgo BMX plastic, Cr-Mo axle **PEDAL STRAPS** F44 new straps, wide velcro **TIRES** Innova 700 x 28c **RIMS** F44 mid profile [21 mm], double wall, 32 holes **HUBS** F44 high flanges, sealed bearings, Cr-Mo axle, flip-flop (fixed/fixed) **SPOKES ASSEMBLY** Radial in front, 3-cross in rear **CHAIN** KMC Z410, 1/2"x1/8" **REAR SPROCKET** 16T, Cr-Mo **FREEWHEEL** 16T, not assembled on the bike **SEAT POST** F44 new seat post, 27.2 mm, alloy, 19 mm offset **SEAT** F44 new slim saddle, 7 mm rails **LEVERS** Cyclocross style, not assembled on the bike **BRAKE CALIPERS** Alloy, not assembled on the bike

# 2014 BIKES

## S-EXPRESS

### FEATURES

- 4 sizes : 49cm, 52 cm, 55 cm, 58 cm
- full 4130 Cr-Mo frame and fork
- engraved F44 Falcon logo in head tube
- 1-1/8" integrated headset (Campagnolo standard)
- narrow raised handlebar
- 46/16 gear ratio
- sealed bearing BB set, JIS taper
- plastic BMX type pedals with new straps
- sealed bearings hubs
- flip flop rear hub (fixed both sides)
- double wall rims, mid-profile : 21 mm
- 1/2"x1/8" chain
- 27.2 mm alloy seat post, 19 mm offset
- new slim saddle
- built to last, around 11.2 kg / 24.8 lbs
- colors : raw clear coating, blue clear coating, red clear coating

Every Focale 44 bike is delivered with brakes, freewheel and fixed sprocket. Bikes are shown without brakes.



### COMPLETE SPECIFICATIONS

**FRAME** Focale 44 full 4130 Cr-Mo, 4 sizes, 120 mm hub spacing, weld-on seat clamp **FORK** Focale 44 full 4130 Cr-Mo, 1-1/8", short rake **HEAD SET** F44 integrated, Campagnolo style + spacers **STEM** F44 alloy, 4-bolt clamp, 60 mm **HANDLEBAR** F44 riser hi-ten, 40 mm high, 480 mm wide **GRIPS** Kraton, no flanges **CRANK** F44 forged alloy, 165 mm arms, 46T chainring, BCD 130 mm **BB** Tange Seiki, sealed bearings, JIS taper **PEDALS** F44 Wellgo BMX plastic, Cr-Mo axle **PEDAL STRAPS** F44 new straps, wide velcro **TIRES** Innova 700 x 23c **RIMS** F44 mid profile (21 mm), double wall, 32 holes **HUBS** F44 high flanges, sealed bearings, Cr-Mo axle, flip-flop (fixed/fixed) **SPOKES ASSEMBLY** Radial in front, 3-cross in rear **CHAIN** KMC Z410, 1/2"x1/8" **REAR SPROCKET** 16T, Cr-Mo **FREEWHEEL** 16T, not assembled on the bike **SEAT POST** F44 new seat post, 27.2 mm, alloy, 19 mm offset **SEAT** F44 new slim saddle, 7 mm rails **LEVERS** BMX style, not assembled on the bike **BRAKE CALIPERS** alloy, not assembled on the bike

# 2014 BIKES

# FULL MOON

## FEATURES

- 4 sizes : 49cm, 52 cm, 55 cm, 58 cm
- hi-ten steel frame and fork
- engraved F44 Falcon logo in head tube
- 1" forged alloy stem, 1" threaded headset
- narrow raised handlebar
- 46/16 gear ratio
- sealed bearing BB set, JIS taper
- plastic BMX type pedals
- loose balls hubs
- flip flop rear hub (fixed both sides)
- double wall rims, mid-profile : 21 mm
- 1/2"x1/8" chain
- 25,4 mm seat post
- new slim saddle
- built to last, around 11.5 kg / 25.4 lbs
- color : black

Every Focale 44 bike is delivered with brakes, freewheel and fixed sprocket. Bikes are shown without brakes.



## COMPLETE SPECIFICATIONS

**FRAME** Focale 44 hi-ten, 4 sizes, 120 mm hub spacing, weld-on seat clamp **FORK** Focale 44 Hi-ten, 1" threaded, short rake **HEAD SET** 1" threaded, loose balls **STEM** F44 1" quilled, forged alloy, 80 mm **HANDLEBAR** F44 riser hi-ten, 40 mm high, 480 mm wide **GRIPS** Kraton, no flanges **CRANK** F44 forged alloy, 165 mm arms, 46T chainring, BCD 130 mm **BB** Tange Seiki, sealed bearings, JIS taper **PEDALS** BMX plastic, Cr-Mo axle **TIRES** Innova 700 x 23c gumwall **RIMS** F44 low profile (18 mm), 32 holes **HUBS** F44 High flanges, loose balls, Cr-Mo axle, flip-flop [fixed/fixe] **SPOKES ASSEMBLY** Radial in front, 3-cross in rear **CHAIN** KMC Z410, 1/2"x1/8" **REAR SPROCKET** 16T, Cr-Mo **FREEWHEEL** 16T, not assembled on the bike **SEAT POST** F44, 25.4 mm, steel 0 mm offset **SEAT** F44 new slim saddle, 7 mm rails, with clamp **LEVERS** BMX style, not assembled on the bike **BRAKE CALIPERS** alloy, not assembled on the bike

# BIKES COMPARATOR



## MODEL

**FULL MOON**

**S-EXPRESS**

**RELAX**

**NOBLE**

**REVOLTED**

<b>FRAME</b>	Hi-ten	Cr-mo	Cr-mo	Cr-mo	Cr-mo
<b>FORK</b>	Hi-ten	Cr-mo	Cr-mo	Cr-mo	Cr-mo
<b>HEAD SET</b>	1" threaded	1-1/8" integrated	1-1/8" integrated	1-1/8" integrated	1-1/8" integrated
<b>STEM</b>	Quill	Aheadset flip flop	Integrated with handlebar	Integrated with handlebar	Aheadset frontload
<b>HANDLEBAR</b>	Riser hi-ten	Riser hi-ten	Flat combo	Track combo	Riser alloy
<b>CRANK</b>	Forged alloy, BCD 130 mm	Forged alloy, BCD 130 mm	Forged alloy, BCD 130 mm	Forged alloy, BCD 130 mm	Forged alloy, BCD 144 mm
<b>PEDALS</b>	BMX plastic, no straps	Wellgo BMX plastic, with straps	Wellgo BMX plastic, with straps	Wellgo BMX plastic, with straps	Wellgo BMX plastic, with straps
<b>RIMS</b>	Low profile : 18 mm	Mid profile : 21 mm, double wall	Mid profile : 21 mm, double wall	Mid profile : 21 mm, double wall	High profile : 31 mm, double wall
<b>HUBS</b>	Loose balls	Sealed bearings	Sealed bearings	Sealed bearings	Sealed bearings
<b>SEAT POST</b>	Steel, 0 mm offset	Alloy, 19 mm offset	Alloy, 19 mm offset	Alloy, 19 mm offset	Alloy, 19 mm offset





# 2014 FRAMES

## CR-MO FRAME KIT

includes : frame + fork + headset + spacers  
colors : chrome, matt black, raw clear coating



### FRAME

- 4 sizes : 49cm, 52 cm, 55 cm, 58 cm
- full 4130 Cr-Mo
- Long lasting reliable construction
- horizontal top tube
- integrated head tube for Campagnolo standard (1-1/8")
- engraved F44 Falcon logo in head tube
- BSA bottom bracket
- straight chain stays : allows up to 700 x 32c tire
- thinner seat stays
- hole for rear brake in seat stays bridge
- 5 mm Cr-Mo CNC dropouts
- weld-on seat clamp with replaceable bolt and nut
- weight : 2090 grams / 4.6 lbs

### FORK

- full 4130 Cr-Mo
- 1-1/8" steer tube threadless
- integrated crown cone for integrated headset only
- hole for front brake
- 25.4 mm taper legs
- 33.5 mm rake
- weight : 920 grams / 2.0 lbs



## HI-TEN FRAME KIT

includes : frame + fork + headset  
colors : matt black



### FRAME

- 4 sizes : 49cm, 52 cm, 55 cm, 58 cm
- hi-ten steel
- long lasting reliable construction
- horizontal top tube
- standard 1" head tube
- engraved F44 Falcon logo in head tube
- BSA bottom bracket
- straight chain stays : allows up to 700x32c tire
- thinner seat stays
- hole for rear brake in seat stays bridge
- 5 mm CNC dropouts
- weld-on seat clamp with replaceable bolt and nut
- 2200 grams / 4.85 lbs

### FORK

- hi-ten steel
- 1" steer tube threaded
- hole for front brake
- 25.4 mm taper legs
- 33.5 mm rake
- 990 grams / 2.18 lbs

# GEOMETRY AND SIZING CHART



## REVOLTED, NOBLE, RELAX, S-EXPRESS, CR-MO FRAME KIT

	SIZE 49	SIZE 52	SIZE 55	SIZE 58
FRAME SIZE (BB to top of seat tube)	512 mm / 20.1"	530 mm / 20.9"	560 mm / 22.0"	590 mm / 23.2"
TOP TUBE	508 mm / 20.0"	530 mm / 20.9"	550 mm / 21.7"	580 mm / 22.8"
HEAD ANGLE	73°	74°	74°s	74°
SEAT ANGLE	75°	75°	75°	75°
CHAIN STAYS LENGTH (slammed)	395 mm / 15.6"	395 mm / 15.6"	395 mm / 15.6"	395 mm / 15.6"
BB DROP	60 mm / 2.4"	65 mm / 2.6"	65 mm / 2.6"	65 mm / 2.6"
HEAD TUBE LENGTH	100 mm / 3.9"	120 mm / 4.7"	150 mm / 5.9"	180 mm / 7.1"
HEAD TUBE STANDARD	Campagnolo integrated	Campagnolo integrated	Campagnolo integrated	Campagnolo integrated
SEAT POST SIZE	27.2 mm	27.2 mm	27.2 mm	27.2 mm
DISTANCE BETWEEN DROPOUTS	120 mm	120 mm	120 mm	120 mm
TIRE CLEARANCE	up to 32c	up to 32c	up to 32c	up to 32c

## FULLMOON, HI-TEN FRAME KIT

	SIZE 49	SIZE 52	SIZE 55	SIZE 58
FRAME SIZE (BB to top of seat tube)	508 mm / 20.0"	530 mm / 20.9"	560 mm / 22.0"	590 mm / 23.2"
TOP TUBE	508 mm / 20.0"	530 mm / 20.9"	550 mm / 21.7"	580 mm / 22.8"
HEAD ANGLE	73°	74°	74°	74°
SEAT ANGLE	75°	75°	75°	74°
CHAIN STAYS LENGTH (slammed)	395 mm / 15.6"	395 mm / 15.6"	395 mm / 15.6"	395 mm / 15.6"
BB DROP	60 mm / 2.4"	65 mm / 2.6"	65 mm / 2.6"	65 mm / 2.6"
HEAD TUBE LENGTH	80 mm / 3.2"	100 mm / 3.9"	130 mm / 5.1"	160 mm / 6.3"
HEAD TUBE STANDARD	1" threaded	1" threaded	1" threaded	1" threaded
SEAT POST SIZE	25.4 mm	25.4 mm	25.4 mm	25.4 mm
DISTANCE BETWEEN DROPOUTS	120 mm	120 mm	120 mm	120 mm
TIRE CLEARANCE	up to 32c	up to 32c	up to 32c	up to 32c



# 2014 PARTS

## REVOLTED WHEELSET

### FRONT WHEEL

- sealed bearings
- high flanges
- 3/8" solid Cr-Mo axle
- OLD 100 mm
- 32 black spokes, radial lacing
- alloy double wall rim, 31 mm high
- hi-pressure rim tape
- color : black, hi-polish, white

### REAR WHEEL

- sealed bearings
- high flanges
- flip-flop : for fixed cog both side, but a freewheel can be
- threaded on
- lock-ring included
- 3/8" solid Cr-Mo axle
- OLD 120 mm
- 32 black spokes, 3-cross lacing
- alloy double wall rim, 31 mm high
- hi-pressure rim tape
- color : black, hi-polish, white



# 2014 PARTS

## FULL MOON WHEELSET

### FRONT WHEEL

- loose balls bearings
- high flanges
- 3/8" solid Cr-Mo axle
- OLD 100 mm
- 32 black spokes, radial lacing
- alloy double wall rim, 21 mm high
- hi-pressure rim tape
- color : black

### REAR WHEEL

- loose balls bearings
- high flanges
- flip-flop : for fixed cog both side,  
but a freewheel can be threaded on
- lock-ring included
- 3/8" solid Cr-Mo axle
- OLD 120 mm
- 32 black spokes, 3-cross lacing
- alloy double wall rim, 21 mm high
- hi-pressure rim tape
- color : black



# 2014 PARTS



## TRACK COMBO HANDLEBAR

- 1-pc stem/handlebar combo, track/pista
- full 4130 heat treated Cr-Mo
- for 1-1/8" threadless steer tube
- 80 mm stem length
- 40 mm stem height
- 0° angle
- internal stem clamp
- 380 mm handlebar width, center to center
- 95 mm reach
- 160 mm drop
- 24 mm handlebar O.D.
- colors : black, chrome



## REVOLTED HANDLEBAR

- raised handlebar
- 6061-T6 alloy
- 22.2 mm all the way (including at stem clamp)
- 40 mm rise
- 480 mm wide
- 7° backsweep
- 3° upsweep
- color : black



## GRIPS

- smooth kraton rubber
- micro diamond design
- 175 mm long
- for 23.8/24 mm handlebars (road bike and track handlebars)
- close ends
- colors : black or white



## REVOLTED CRANK

- forged 6061-T6 alloy arms, 165 mm
- BCD 144 mm
- alloy chainring 44T
- JIS taper
- color : black



## PEDALS

- platform style
- high resistant nylon body
- 9/16" axle
- color : black, red, blue, green, purple



## STRAPS

- double straps
- for platform pedals
- wide upper velcro
- color : black



## NOBLE TIRE

- made by Innova
- 30 dpi sidewalls
- 700 x 28c
- color : white



## FULL MOON TIRE

- made by Innova
- 30 dpi sidewalls
- 700 x 23c
- color : black with gumwall sidewalls



## REVOLTED TIRE

- made by Innova
- 30 dpi sidewalls
- 700 x 28c
- color : black

# 2014 PARTS



## REVOLTED STEM

- frontload stem for 1-1/8" steer tube
- forged + CNC 6061-T6 alloy
- for 22.2 mm handlebar
- 50 mm reach
- color : black



## FULL MOON STEM

- quill stem for 1" threaded headset
- forged 6061-T6 alloy
- for 25.4 mm handlebar
- 80 mm reach
- color : black



## HEADSET

- for integrated head tube
- Compagnolo compatible
- sealed bearings
- alloy cap
- color : black



## REVOLTED RIM

- double wall
- 32 holes
- 31 mm high
- 24 mm wide
- black
- color : black, white, polish



## BRAKE LEVER

- top mount on track handlebar
- for O.D. 23.8/24 mm handlebars
- hinged clamp
- return spring
- right only
- color : black



## COG

- Cr-Mo
- 16 or 17 teeth
- for 1/2" x1/8" chain
- 1.37 x 24 tpi thread



## LOCKRING

- Cr-Mo
- fits most track hub with double thread



## CHAINRING BOLTS

- set of 5 chainring bolts
- for single chainring



## DISTRIBUTORS

---

### AUSTRALIA NEW ZEALAND

Kickassbmx  
www.kickassbmx.com  
bmx@kickassbmx.com

### BELGIUM LUXEMBOURG

Ezco  
www.ezco.fr  
ezco@orange.fr

### FRANCE

Ezco  
www.ezco.fr  
ezco@orange.fr

### GERMANY

One Gear Distribution  
www.onegear-distribution.de  
info@onegear.de

### JAPAN

Salone del Monte  
www.salonedelmonte.com  
yuumi@salonedelmonte.com

### UNITED KINGDOM

Zeal BMX  
www.zealbmx.com  
info@zealbmx.com

### OTHERS COUNTRIES

Please contact us for  
distribution solutions :  
question@focale44bikes.com

## ONLINE STORES

---



[www.focale44bikes.com/store](http://www.focale44bikes.com/store)



[www.zealbmxstore.com](http://www.zealbmxstore.com)

## WARRANTY

---

Frames and parts are covered by a 1 year warranty from the original date of purchase. During this period, Focale 44 will repair or replace any frame or part deemed to have a manufacturing defect. Replacement frame or part may be of a different color. For complete bikes, replacement will only concern the damaged part, not the complete bike. Even if you contact us directly, all warranty claims must go through the dealer which sold the frame or part. Warranty does not cover normal wear and tear, misuse or neglect or modification of the frame or part. Warranty applies only to the original owner and is not transferable. Focale 44 or its mother company BMX Groupment shall not be responsible for incidental or consequential damages.

Any comments ? [question@focale44bikes.com](mailto:question@focale44bikes.com)



[WWW.FOCAL44BIKES.COM](http://WWW.FOCAL44BIKES.COM)

Focale 44, a brand of BMX Groupment, Andorra, Europe



photos : Jérémie Carrère