



ZON COMPLETE SIKES

A NEW BIKE FOR FLAT STREET USE STRONG AND WELL ENGINEERED

FEATURES

2 sizes : 19.8" or 20.3" 100 % cr-mo frame

100 % cr-mo fork 15 mm offset integrated headset

8.75" Al-style 2-pc handelbar, 27.6" wide

30 mm reach stem

152 mm 3-pc tubular cr-mo crank

25x9 gear ratio sealed spanish BB set

36 holes allou rims with CNC sidewalls

loose balls front hub

St-Martin Evo sealed bearing freecoaster hub

Odyssey Frequency-G 20x1.75" tires

alloy U-brake, alloy levers, 60 mm clear pads 1-pc seat/seatpost combo, padded seat,

300 mm alloy seat post

10.9 kg / 24.0 lobs 2014 color : black

FRAME GEOMETRY

Top tube : 19.8" or 20.3" Chain stay: 12,6" slammed Head angle: 75° Seat angle : 71°







FEATURES

1 size : 18.9"

100 % cr-mo frame

100 % cr-mo fork. 15 mm offset integrated headset

8" Al-style 2-pc handelbar, 27.6" wide

30 mm reach stem

152 mm 3-pc tubular cr-mo crank

25×9 gear ratio

sealed spanish BB set

36 holes alloy rims with CNC sidewalls

loose balls front hub

St-Martin Evo sealed bearing freecoaster hub Kenda Kontact 20×1.75" tires

alloy U-brake, alloy levers, 60 mm clear pads 1-pc seat/seatpost combo, padded seat,

300 mm alloy seat post

10.7 kg / 23.6 lbs

2014 colors : black, white, dark green

FRAME GEOMETRY

Top tube : 18.9"

Chain stay: 12,6" slammed

Head angle: 75°

Seat angle : 71°

BB height : 11,8"





ZOIY COMPLETE SIKES



FULL SPECS

FRAME St-Martin Darwin 18.9" TT, full 4130 Cr-Mo, integrated head tube,

Spanish BB, removable gyro tabs, 5 mm laser cut dropouts,

weld-on seat clamp

FORK St-Martin full 4130 Cr-Mo, 15 mm offset,long steer tube (180 mm),

M25 threaded top cap with big hole, 5 mm laser cut dropouts

HEAD SET Integrated, Campagnolo style sealed bearings + 6 spacers (4 mm each)

STEM Short frontload, 30 mm reach

HANDLEBAR St-Martin 2 pcs AJ-style, raise 8", width 27.6"

GRIPS Kraton, 140 mm, no flanges, with plastic bar ends

CRANK Tubular Cr-Mo 152 mm arms, 8 splines axle

BB SET Spanish BB sealed bearings SPROCKET 25T, alloy, 5 mm thick CHAIN Taya Z410, 1/2"⊠x1/8"⊠ PEDALS Wellgo plastic, Cr-Mo axle

RIMS Lightweight alloy, 36 holes, machined sidewalls
FRONT HUB 36 holes, low flanges, loose balls, 3/8" Cr-Mo axle
REAR HUB St-Martin Evo freecoaster, sealed bearings, 9T driver,

36 holes, 3/8"⊠ Cr-Mo axle

SPOKES LACING Front : 1-cross, rear : 3-cross **TIRES** Kenda Kontact 20×1.75"

PEGS Alloy knurling, 0.D. 38 mm, 110 mm long, round end, 4 pcs

SEAT/SEATPOST 1pc combo, padded seat, alloy seatpost, 300 mm

LEVERS Alloy 2 fingers

U-BRAKES Alloy U-brake with 60 mm clear pads
DETANGLER Standard detangler, 2-in-1 short cables



FULL SPECS

FRAME St-Martin Selection 19.8" TT or 20.3" TT, full 4130 Cr-Mo, integrated head tube,

Spanish BB, removable gyro tabs, 5 mm laser cut dropouts,

weld-on seat clamp

FORK St-Martin full 4130 Cr-Mo, 15 mm offset,long steer tube (180 mm),

M25 threaded top cap with big hole, 5 mm laser cut dropouts

HEAD SET Integrated, Campagnolo style sealed bearings + 6 spacers (4 mm each)

STEM Short reach frontload, 30 mm

HANDLEBAR St-Martin 2 pcs AJ-style, raise 8.75", width 27.6⊠
GRIPS Kraton, 140 mm, no flanges, with plastic bar ends
CRANK Tubular Cr-Mo 152 mm arms. 8 splines axle

BB SET Spanish BB sealed bearings
SPROCKET 25T, alloy, 5 mm thick
CHAIN Taya Z410, 1/2"x1/8"
PEDALS Wellgo plastic. Cr-Mo axle

RIMS Lightweight alloy, 36 holes, machined sidewalls
FRONT HUB 36 holes, low flanges, loose balls, 3/8" Cr-Mo axle
REAR HUB St-Martin Evo freecoaster, sealed bearings, 9T driver,

36 holes, 3/8" Cr-Mo axle

SPOKES LACING Front : 1-cross, rear : 3-cross

TIRES Odyssey Frequency-G 20×1.75⊠

PEGS Alloy knurling, O.D. 38 mm, 110 mm long, round end, 4 pcs

SEAT/SEATPOST 1pc combo, padded seat, alloy seatpost, 300 mm

LEVERS Alloy 2 fingers

U-BRAKES Alloy U-brake with 60 mm clear pads
DETANGLER Standard detangler, 2-in-1 short cables







ALEX JUMELIN SIGNATURE FRAME FLAT STREET FRAME UPDATED FOR BOTH POLY FEATURES

S72CS

100 % Sanko cr-mo tubing, thick tubes integrated head tube, Campagnolo standard high BB position. Spanish standard, with drilled cross bulged seat stays near seat tube

narrow rear triangle: seat stays and chain stays are welded

inside dropouts to reduce overall width 4 mm dropouts for 3/8" axle

integrated chain tensioners inside dropouts

internal seat clamp in top tube, Strawberry patent compatible with EBS removable brake parts :

Flybikes's Easy Brake System (parts sold separately)

Al engraved logo on head tube

1.88 kg / 4.2 lbs

2014 colors: ED-black, neon pink, chrome

GEOMETRY

top tube: 17.9" 18.8" or 19.3"

chainstaus: 12.6" head angle: 75° seat angle : 71°

BB height : 12.8"

stand over : 5.1"





ZOIY FRAMES

A LAST A NEW FLAT STREET FRAME MADE WITH ALL STMARTIN TRADEMARKS

SPECS

100 % Sanko cr-mo tubing, thick tubes integrated head tube, Campagnolo standard regular BB position, Spanish standard narrow rear triangle: seat stays and chain stays are welded inside dropouts to reduce overall width 4 mm dropouts for 3/8" axle integrated chain tensioners inside dropouts compatible with EBS removable brake parts: Flybikes's Easy Brake System (parts sold separately) St-M engraved logo on head tube 1.82 kg / 4.1 lbs

2014 colors : ED-black, blue clear coating

GEOMETRY

top tube : 18.9" or 19.9" chainstays : 12.2" head angle : 75° seat angle : 71° BB height : 11.8" stand over : 6.0"







BTF HANDLEBAR

NEW FOR 2014 : LOWER AND CURVED CROSSBAR

« Back To Flatland » handlebar, a real 4-pc handlebar for flatland riding

8.0 high

25.6" wide

3° back sweep

2° up sweep

100 % heat treated strong and thick Cr-Mo

19 mm crossbar

3 saw lines each side for a clean cut

840 grams / 30.0 oz

2014 colors : black, chrome

AL HANDLEBAR

NEW FOR 2014 : 3° BACK SWEEP

2-pc street-style handlebar

Alex Jumelin signature

8.75" high

27.2" wide

3° back sweep

1° up sweep

100 % heat treated strong and thick Cr-Mo

19 mm crosshar

3 saw lines each side for a clean cut

750 grams / 26.8 oz

2014 colors : black, neon pink, chrome





ZOIY FARTS





MST2 85X

the return of the world famous X26 stem 6061-T6 alloy 26 mm extension stack height : 48 mm rise : + 23 mm 4 hollow bolts (25 mm long)







FORK RISERS

put one of them under your lower headset bearing to raise the front end of your bike more space between front tire and frame downtube 2 sizes : 7 mm and 14 mm 7 mm model modifies the head angle of minus 0.5° (from 75.0° to 74.5° for example) 14 mm model modifies the head angle of minus 1.0° (from 75,0° to 74,0° for example) for intregrated headset only 7 mm : 10 grams / 0.4 oz 14 mm : 25 grams / 0.9 oz

IROON STEM

6061-T6 alloy
35 mm extension
stack height: 30 mm
rise (normal mount): + 7 mm
rise (opposite mount): + 23 mm
dissymetrical bar clamps for smooth top surface
recessed compression bolt area
4 hollow bolts
242 grams / 8.6 oz
2014 color: black, chrome plated



TITANUIM BAR ENDS

the original St-Martin titanium bar ends of 2003, re-edited round, drilled and thick titanium, last forever

1 bolt

30 grams / 1.1 oz (pair) 2014 color : satin titanium



ALLOY BAR ENDS

round and thick 6061-T6 alloy 1 holt

33 grams / 1.2 oz (pair)







EVO SPLINED CRANK

tubular flatland 3-pc crank for splined sprocket only (no pin drive) 19 mm heat treated cr-mo hollow axle 155 mm heat treated cr-mo arms internally threaded axle boss for easy removal very low profile, ankle-friendly arms 795 grams / 28.4 oz 2014 colors : black, chrome

EVO REGULAR CRANK

tubular flatland 3-pc crank RHD only for microdrive sprocket only 155 mm heat treated cr-mo arms internally threaded axle boss for easy removal very low profile, ankle-friendly arms 830 grams / 29.6 oz 2014 colors : black, chrome









EVO FREECOASTER WHEEL

strong and reliable rear wheel St-Martin Evo welded rim

St-Martin Evo freecoaster hub, female axle, 9T RHD

36 strong stainless steel spokes, 3 cross

1260 grams / 2.78 lbs

2014 colors : all black, chrome rim + black hub

EVO FRONT WHEEL

strong and lightweight front wheel St-Martin Evo welded rim St-Martin Evo front hub 36 strong stainless steel spokes, 1 cross (much stronger than radial) 875 grams / 1.93 lbs





EVO FREECOASTER NUB

uses KHE internal system 36 holes 6061-T6 alloy body Cr-Mo female axle with 3/8⊠ x 24 tpi bolts sealed bearings 1 pc Cr-Mo driver, 9T 595 grams / 21.2 oz 2014 color : black

this freecoaster hub comes as original equipment on St-Martin Darwin and Selection complete bikes, in male axle version



EVO FRONT NUB

36 holes
7075-T6 alloy thick female axle
6061-T6 alloy bi-taper body
thick flanges
3/8½ x 24 tpi cr-mo CNC hex bolts
hardware available separately
235 grams / 8.4 oz including Cr-Mo bolts
2014 color: black



NUE BOLTS

for female hub 3/8" x 24 tpi, 30 mm long CNC from cr-mo material, for great strength for 17 mm socket wrench sold as 2 pieces









EVO KIM round profile, smooth,

does not hurt hands welded joint 36 holes St-Martin white nylon rim tape included (also available separately) 439 grams / 15.6 oz 2014 colors : black, chrome





CDO SPROCKET

compact disc sprocket
20T only
5 holes
7075-T6 alloy
3 mm thick
22 mm hole + 19 mm adaptor
25 grams / 0.9 oz
2014 color : black

EVO SPLINED SPROCKET

8-spokes sprocket 7075-T6 alloy 5 mm thick splined central hole no need pin bolt, fits most 3-pc cranks with long splined area on axle 20T = 55 grams / 1.9 oz 24T = 75 grams / 2.7 oz

2014 color : black

EVO REGULAR SPROCKET

8-spokes sprocket 7075-T6 alloy 4 mm thick 22 mm hole + 19 mm adaptor 20T = 40 grams / 1.4 oz 24T = 50 grams / 1.8 oz 2014 color : black





EVO KNURLING PEGS

105 mm long 6061-T6 alloy 38 mm 0.D. rounded end knurling surface 95 grams / 3.4 oz (1 pc) 2014 colors black, silver, red





EVO GRIP PEGS

105 mm long 6061-T6 alloy 38 mm 0.D. rounded end smooth surface + grip tape 95 grams / 3.4 oz (1 pc) 2014 colors : black, silver, red









ebs removable brake parts

Flybikes's Easy Brake System (EBS) compatible with 2014 St-Martin frames and all other EBS-compatible frames on the market

TRIPOD SEATPOST

NEW FOR 2014 : WE SWITCHED FROM PIVOTAL TO TRIPOD SYSTEM 2-pc Tripod seatpost 6061-T6 alloy

1"/25.4 mm 0.D. 300 mm long 215 grams / 7.7 oz

2014 colors : black, silver



DISTRIBUTION

AUSTRIA

La Finca (Germany)
www.la-finca-distribution.de
info@la-finca-distribution.de

AUSTRALIA NEW ZEALAND

Kickassbmx www.kickassbmx.com bmx@kickassbmx.com

BELGIUM LUXEMBOURG

Rock N Roll www.rocknrollbmx.com info@rocknrollbmx.com

CHILE

Rhino Bike www.facebook.com/rhino.bike rhinobike riders@hotmail.com

CHINA

China BMX www.chinabmx.com

COLOMBIA

Tienda Flatland www.tiendaflatland.com tiendaflatland@gmail.com

DENMARK

Signature BMX (Finland) www.signaturebmx.com info@signaturebmx.com

FINLAND

Signature BMX www.signaturebmx.com info@signaturebmx.com

FRANCE

Brakeless (Switzerland) www.brakeless.ch info@brakeless.ch

GERMANY AUSTRIA

La Finca
www.la-finca-distribution.de
info@la-finca-distribution de

HUNGARY Gorb-X / Harlee

www.harlee-shop.com online@harlee-shop.com

JAPAN

Delirium Family www.delirium-family.com info@delirium-family.com

KAZAKHSTAN

BelTorg www.velo.kz beltorg@velo.kz

KOREA

4130Bike www.4130.co.kr lee@bmxkorea.com

LATVIA

Par BMX www.parbmx.com info@parbmx.com

MEXICO

Ortiz BMX www.ortizbmx.com.mx ortizbmx@hotmail.com

THE NETHERLANDS

Rock N Roll www.rocknrollbmx.com info@rocknrollbmx.com

NORWAY SWEDEN

Element www.bmxelement.no element@bmxelement.no

PHILIPPINES Flip Bukes

Flip Bykes www.flipbykes.com info@flipbykes.com

POLAND

Proletaryat BMX www.proletaryatbmx.pl kuki@proletaryatbmx.pl

RUSSIA

Hellride www.hellride.ru info@hellride.ru

SINGAPORE

20 Inch Circle www.20incho.com sales@20incho.com

SPAIN

Action Wheels Distribution www.actionbmxshop.net actionbmxshop@gmail.com

SWEDEN

Element (see Norway) Signature BMX (see Finland)

SWITZERLAND

Brakeless www.brakeless.ch info@brakeless.ch

TAIWAN

Follow Bikes www.followbikes.blogspot.tw barneybmx@kimo.com

UKRAINE

Big Toys www.bigtoys.com.ua info@velomarket.com.ua

UNITED KINDGOM Zeal BMX

www.zealbmx.com info@zealbmx.com

OTHERS COUNTRIES

Please contact us for distribution solutions info@stmartinbmx.com





WWW.STMARTINEMX.COM