

A scenic mountain landscape with a glass of wine and a plate of bicycle chain components. The background shows a valley with green hills and distant mountains under a blue sky with white clouds. In the foreground, a white plate with a red rim holds several bicycle chain links and rollers. A white wine glass filled with white wine is on the left. A white pen lies on the plate to the right of the chain components.


# 2008 **SUPERSTAR** PRODUCTS

**Innovation, Technique, Simplicity.**

Our three friends. They stay in our mind  
when we created the 2008 Superstar range.

# 2008 NEW DEAL Frame

For PEGLESS riders, latest generation street frame



## Upgrades for 2008

Brakeless and braked version  
19 mm D-shape chainstays  
Smaller seat clamp device  
Redesigned head tube, BB shell  
and rear dropouts

## 2008 Colors

- Black
- Green clear coating
- Cream white
- Black for brakeless only

Through seat tube cable route.



Top tube : 20,7", 21" or 21,4"  
Chainstays : 13,4"  
Chainstays on 21,4" : 13,6"  
Head angle : 75,0°

Seat angle : 70,0°  
Seat post size : 25,4 mm - 1"  
BB height : 11,5"  
Weight : 5,00 lbs / 2,27 kg

## Features

Three sizes available : 20,7", 21" and 21,4"  
13,4" slammed rear triangle on 20,7" and 21".  
13,6" slammed rear triangle on 21,4".

75° head tube angle.

**New lighter head tube :**  
Our new heat-treated head tube is much slimmer than before : O.D. 38 mm in the center. Campagnolo style, with removable tabs holes.

**New lighter Spanish bottom bracket :**  
Our new heat-treated bottom bracket shows a slim profile outside with ultra-thick edges to prevent from ovalising. BB height : 11.5".

**Laidback seat tube angle : 70°**  
The frame feels 0.3 inch shorter in order to have a really responsive bike.

**D-shapes chain stays :**  
Our specific heat-treated chain stays have a flat wall on the inside for big tire clearance. A really small radius on the outside gives a similar dent-proof chain stay than a thicker round tube.

**Small dropouts :**  
4 mm thick heat-treated dropouts for 14 mm axle, with 10 mm vent holes.

**Strawberry patented seatclamp :**  
Redesigned internal seatclamp : smaller, providing the same clamping power. Ultra low seat position compatible.

Drilled seat tube and three cable guides for clean cable routine. Head tube is threaded for gyro tabs.

Grip stickers on down tube.


New Deal graphics designed by Eric Chancellor and Antony Lille.

**Three colours available :**  
Black, green clear coated\* and cream white.  
Brakeless version only in black.  
\* from early march 2008  
Fall 2007 frames are leaf green.

**CAUTION :**  
2 versions : brake or brakeless (no lugs and no cable guides). Brakeless version is available in three sizes, black color only.

# 2008 LIGHT MY FIRE Frame

Latest generation park frame



## Features

Three sizes available : 20,4", 20,8" and 21,2" 13,4" slammed rear triangle on 20,4" and 20,8". 13,6" slammed rear triangle on 21,2".

74,5° head tube angle

70,5° degree seat angle

**New lighter head tube :**

Our new heat-treated head tube is much slimmer than before : O.D. 38 mm in the center. Campagnolo style, with removable tabs holes.

**New lighter Spanish bottom bracket :**

Our new heat-treated bottom bracket shows a slim profile outside with ultra-thick edges to prevent from ovalising. BB height : 11,5".

**D-Shapes chain stays :**

Our specific heat-treated chain stays have a flat wall on the inside for big tire clearance. A really small radius on the outside gives a similar dent-proof chain stay than a thicker round tube.

**Medium dropouts :**

5 mm thick heat-treated dropouts for 14 mm axle, with 10 mm vent holes.

**Integrated seatclamp**

Drilled seat tube and three cable guides for clean cable routine. Head tube is threaded for gyro tabs.

Grip sticker on down tube.

Light My Fire graphics designed by Eric Chancelier et Antony Lille.

**Three colors available :**

Black, mate pearl grey and turquoise. Brakeless version only in black.

**CAUTION :**

2 versions : brake or brakeless (no lugs and no cable guides). Brakeless version is available in three sizes, black color only.

## Upgrades for 2008

Brakeless and braked version  
Redesigned head tube, BB shell and rear dropouts

Through seat tube cable route.



## 2008 Colors

- Black
- Mate pearl grey
- Turquoise
- Black for brakeless only

**Top tube :** 20,4", 20,8" or 21,2"

**Chainstays :** 13,4"

**Chainstays on 21,4" :** 13,6"

**Head angle :** 74,5°

**Seat angle :** 70,5°

**Seat post size :** 25,4 mm - 1"

**BB height :** 11,5"

**Weight :** 4,85 lbs / 2,19 kg

# 2008 SWEET SWEEP Bars



## BAR ENDS

for Superstar Sweet Sweep handlebars



## Features

### THREE SIZES AVAILABLE :

7,35" - 25" wide  
7,85" - 26" wide  
8,15" - 28,5" wide

100 % heat treated multibutted Cr-Mo  
19 mm crossbar  
13° back sweep / 4° up sweep

### M20 x 1,50 thread

Threaded ends to tight Superstar  
bar ends

Weight : 23 oz - 630 grams

### 2008 colors :

black, cream white, turquoise

Bar ends are sold separately

### M20 x 1,50 thread

Designed by Tree Bicycle Co.

### TWO VERSIONS AVAILABLE :

6061-T6 alloy or synthetic

Color : black

Minimal packing for waste reduction



# 2008 REVOLTE Stem

The First Superstar front load stem



## Features

### 6061-T6 ALLOY

Wedge clamp solution

### TWO SIZES AVAILABLE :

49 mm and 53 mm reach, allows a perfect setup of bar-to-seat distance

### Weight :

10,6 oz - 301 grams

### 2008 colors :

black blasted  
anodized blue  
silver

### Earth-friendly reusable packing :

Packed in a Superstar sweet-band

# 2008 ELECT Stem

Revisited version of our classic stem



## Features

### 7075-T6 ALLOY

49 mm reach  
Optimized CNC machining inside  
for a lower weight  
4 cr-mo hollow bolts

### Weight :

10,4 oz - 294 grams

### 2008 colors :

black blasted  
anodized blue  
silver

Earth-friendly reusable packing :  
Packed in a Superstar sweet-band

### CAUTION :

All Elect stems are made of 7075-T6 alloy. Some stems say 6061-T6. It is a printing mistake. Material is 7075-T6.

# 2008 U BRAKE



## Features

### Forged 6061-T6 alloy

- flat face ball bearing pivots
- low stack 22 mm
- custom round cable nuts for accurate cable line
- red soft pads

### Weight :

7.3 oz - 207 grams

### 2008 colors :

- black blasted
- anodized blue
- silver

Minimal packing for waste reduction

# 2008 PIMP DISC Sprocket



## Features

6061-T6 alloy

11,35 mm thick

15/16" central hole  
+ 22 mm adaptor  
+ 19 mm adaptor

THREE SIZES AVAILABLE :

23T

Weight : 3,42 o.z. - 97 grams

25T

Weight : 3,80 o.z. - 108 grams

28T

Weight : 4,33 o.z. - 123 grams

Color : black blasted

Minimal packing for waste reduction



# 2008 PIMP Sprocket



## Features

### 7075-T6 alloy

15/16" central hole  
+ 22 mm adaptor  
+ 19 mm adaptor

### FIVE SIZES AVAILABLE :

**NEW 23T** : 5 mm thick

Weight : 1,51 o.z. - 43 grams

**25T** : 6,8 mm thick

Weight : 1,92 o.z. - 56 grams

**27T** : 8,6 mm thick

Weight : 2,89 o.z. - 82 grams

**28T** : 8,6 mm thick

Weight : 2,96 o.z. - 84 grams

**30T** : 8,6 mm thick

Weight : 3,31 o.z. - 94 grams

### 2008 colors :

black blasted  
anodized blue  
silver

Minimal packing for waste reduction

# 2008 MICROPEGS

For pegless use, protects axle + can be used as small peg

## Original Micropegs



## Female Micropegs



## Features

### Original Micropegs

#### TWO SIZES AVAILABLE :

3/8" axle and 14 mm axle  
heat treated cr-mo  
includes a steel washer  
sold as 1 piece

#### Weight :

3/8" mm - 1,85 oz - 52 grams  
14 mm - 1,28 oz - 36 grams

### Female Micropegs

for female axle hub

#### TWO SIZES AVAILABLE :

for 3/8" slot and 14 mm slot  
heat treated cr-mo  
includes a 3/8" x 24 tpi Allen bolt  
sold as 1 piece

#### Weight :

3/8" mm - 1,62 oz - 46 grams  
14 mm - 1,72 oz - 49 grams

Minimal packing for waste reduction

# 2008 Spare **BOLTS**

## Hollow stem bolts



## Hub bolts for female axle

## Features

### Hollow stem bolts

**M8 x 25 mm**

cr-mo hollow bolts

compatible with most of the stems  
on the market

sold as 4 pieces

### Weight :

0,4 o.z. each - 11 grams each

### Hub bolts for female axle

**3/8" x 24 tpi, 30 mm long**

cr-mo

sold as 2 pieces

### 2 kinds :

**Normal head :**


for 8 mm Allen key, steel washer

**Flush head :**

for 6 mm Allen key, alloy washer

Minimal packing for waste reduction

# 2008 Spanish **BB SET**



## Features

O.D. 37 mm bearings

### TWO SIZES AVAILABLE :

19 mm axle and 22 mm axle  
with spacer, cones and washers

### Weight :

19 mm axle : 4,86 o.z. - 138 grams

22 mm axle : 4,19 o.z. - 119 grams

Colors : black

# Superstrong **HALFLINK**



Really strong 2 pitch half link.

German made by Wippermann  
for 1/2" x 1/8" chain only  
(standard BMX chain)

### Weight :

0,3 o.z. - 8 grammes



# 2008 Front HUBGUARD



## Features

7075-T6 alloy

### THREE SIZES AVAILABLE :

52 mm - 3/8" for Odyssey...  
62 mm - 3/8" for Flybikes...  
52 mm for Profile Mini SS 10 mm

### Weight :

52 mm : 1,09 o.z. - 31 grams  
62 mm : 1,48 o.z. - 42 grams  
52 mm Profile : 0,98 o.z. - 28 grams

### 2008 colors :

blasted black,  
Superstar grey  
light gold

Minimal packing for waste reduction

[www.superstarbmx.com](http://www.superstarbmx.com)

Artwork : Eric Chancelier - [www.canvas.fr](http://www.canvas.fr)

Photos : Dave Wootten, Greasy Comb Distribution // Julien Leyreloup + Med, BMX Groupment

## Distributors

### AUSTRALIA

Kickassbmx  
[www.kickassbmx.com](http://www.kickassbmx.com)

### BELGIUM

Sartin  
[sartin@skynet.be](mailto:sartin@skynet.be)

### COLUMBIA

Tienda Flatland  
[www.tiendaflatland.com](http://www.tiendaflatland.com)

### FRANCE

Frenchys Distribution  
[www.frenchys-distribution.com](http://www.frenchys-distribution.com)

### GERMANY

La Finca  
[www.la-finca-distribution.de](http://www.la-finca-distribution.de)

### GREECE

Spiros Binetzis  
[spiros@binetzis.ondsl.gr](mailto:spiros@binetzis.ondsl.gr)

### HUNGARY + CENTRAL EUROPE

Gorb-X / Harlee  
[www.harlee-shop.com](http://www.harlee-shop.com)

### JAPAN

Dirty Bike  
[www.dirtybike.com](http://www.dirtybike.com)

### KOREA

4130Bike  
[www.4130.co.kr](http://www.4130.co.kr)

### LATVIA

Par BMX  
[www.parbmx.com](http://www.parbmx.com)

### MEXICO

Ortiz BMX  
[www.ortizbmx.com](http://www.ortizbmx.com)

### THE NETHERLANDS

SC distribution  
[www.scdistribution.nl](http://www.scdistribution.nl)

### NORWAY

Element  
[www.bmxelement.no](http://www.bmxelement.no)

### PHILIPPINES

Flip Bykes  
[www.flipbykes.com](http://www.flipbykes.com)

### POLAND

Dimension  
[www.dimensionbmx.pl](http://www.dimensionbmx.pl)

### RUSSIA

Hellride  
[www.hellride.ru](http://www.hellride.ru)

### SINGAPORE

20 Inch Circle  
[www.20incho.com](http://www.20incho.com)

### SPAIN

Action Wheels Distribution  
[ricardo4130@telefonica.net](mailto:ricardo4130@telefonica.net)

### SWITZERLAND

Bike Agent  
[www.lauterbach.ch](http://www.lauterbach.ch)

### UK

Zeal BMX  
[www.zealbmx.com](http://www.zealbmx.com)

### USA

Greasy Comb Distribution  
[www.greasycomb.com](http://www.greasycomb.com)