

A BMX rider is performing a wallride on a brick wall. The rider is wearing a light-colored t-shirt and dark pants, and is leaning forward on the handlebars. The wall is made of dark bricks and has a textured surface. The rider's shadow is cast on the wall. The background shows a concrete overpass and a building with large windows.

# ★ Superstar **BMX.09**

*innovation, technique, simplicity.*


Our three friends.

They stayed in our minds when we created the 2009 Superstar range.

cover & right : Antony Lille  
photos : Vincent Perraud

# ★ Superstar 3MX 2009

- page 03 : **Mirror Frame**
- page 04 : **Cooper Frame**
- page 05 : **New Deal Frame**
- page 06 : **Frames Comparator**
- page 07 : **Revolte Stem - Hollow stem bolts**  
**Micropegs - Duty Rims**
- page 08 : **Sweet Sweep bars - bars ends**  
**Front Wheel - Hub bolts**
- page 09 : **Overdrive Front Hub - Front Hub guard**  
**Pimp & PimpDisc sprockets**  
**Superstrong Half-link**
- page 10 : **U Brake - Spanish BB set**
- page 11 : **Warrantly & Distributors**





## Mirror

100 % Sanko cr-mo tubing, heat treated after welding  
 Top tube : 21"  
 Chainstays : 13."  
 Head angle : 75.3°  
 Seat angle : 69°  
 BB height : 11.5"  
 Weight : 2.15 kg / 4.75 lbs

### COMPLETE SPECS :

high quality tubing  
 19 mm D-shape chain stays (dent free)  
 super small 4 mm dropouts for 14 mm axle (heat treated)  
 integrated chain tensioners inside dropouts  
 Campagnolo-style internal head tube (heat treated)  
 Spanish bottom bracket (heat treated)  
 removable brake lugs  
 removable cable stop  
 removable gyro tabs  
 integrated seat post for seat with rails.  
 Can be cut to put a seat clamp and a normal seat post  
 2 cable routes : inside or around seat tube

### ECOLOGICAL SPECS :

minimal sticker kit, 2 identical grip stickers  
 on our 3 frames : less waste  
 no sticker on head tube, engraved logo only : no waste  
 removable brake parts (= no more brake/brakeless versions) : easier stock management for shops and distributors, less dead stock

### 2009 COLORS :

Mirror frame comes in a different color each 2009 production.

### ACTUAL SIZES :

Due to the 69° seat angle, Mirror 21" frame a 20.6"/20.7" frame, with more room between handlebar and seat.

### PEG USE :

Better to ride a Mirror frame with Superstar Micropegs, instead of real pegs. Peg use on Mirror frames will cancel the warranty.

## Mirror Frame

Antony Lille's own vision of a street frame, full heat treated after welding.

He rides fast and goes high, he likes reactive frames.

Since Antony especially likes to air out of 3 meters high wallrides and land on flat ground, his frame is not as light as common post welded treated frames.

Mirror frame can handle real street riding.





## Cooper

**100 % Sanko cr-mo tubing**  
 Top tube : 20.75", 21.00" or 21.25"  
 Chainstays : 13.2"  
 Head angle : 75°  
 Seat angle : 69°  
 BB height : 11.6"  
 Weight : 2.20 kg / 4.85 lbs

### COMPLETE SPECS :

High quality tubing  
 19 mm D-shape chain stays (dent free)  
 5 mm peg-sized dropouts for 14 mm axle (heat treated)  
 Integrated chain tensioners inside dropouts  
 Campagnolo-style internal head tube (heat treated)  
 Spanish bottom bracket (heat treated)  
 Removable brake lugs  
 Removable cable stop  
 Removable gyro tabs  
 Low weld-on seat clamp  
 2 cable routes : inside or around seat tube

### ECOLOGICAL SPECS :

Black color is ED (electro deposit) :  
 Less chemical than powder coating  
 Minimal sticker kit, 2 identical grip stickers  
 on our 3 frames : less waste  
 No sticker on head tube, engraved logo only : no waste  
 Removable brake parts (= no more brake/brakeless  
 versions) : easier stock management for shops and  
 distributors, less dead stock

**2009 COLORS :**  
 ED-black, Brown, Red

### ACTUAL SIZES :

Due to the 69° seat angle, Cooper frames feel shorter than their size :

- Cooper 20.75" feels like a 20.3"/20.4" frame, with more room between handlebar and seat
- Cooper 21.00" feels like a 20.6"/20.7" frame, with more room between handlebar and seat
- Cooper 21.25" feels like a 21.0"/21.1" frame, with more room between handlebar and seat

# Cooper Frame

A new modern all around street frame, pegs compatible.





## New Deal

**100 % Sanko cr-mo tubing**  
 Top tube : 20.7", 21.0" or 21.4"  
 Chainstays : 13.4"  
 Head angle : 75°  
 Seat angle : 70°  
 BB height : 11.6"  
 Weight : 2.15 kg / 4.74 lbs

### UPGRADES for 2009 :

Higher quality tubing  
 Integrated chain tensioners inside dropouts  
 Removable brake lugs  
 Removable cable stop  
 Engraved head tube logo

### COMPLETE SPECS :

19 mm D-shape chain stays (dent free)  
 4 mm dropouts for 14 mm axle (heat treated)  
 Campagnolo-style internal head tube (heat treated)  
 Spanish bottom bracket (heat treated)  
 Removable gyro tabs  
 Internal seat clamp in top tube, Strawberry patent  
 2 cable routes : inside or around seat tube

### ECOLOGICAL SPECS :

Black color is ED (electro deposit) :  
 Less chemical than powder coating  
 Minimal sticker kit, 2 identical grip stickers  
 on our 3 frames : less waste  
 No sticker on head tube, engraved logo only : no waste  
 removable brake parts (= no more brake/brakeless  
 versions) : easier stock management for shops and  
 distributors, less dead stock

**2009 COLORS :**  
 ED-black, royal blue, lagoon green

### ACTUAL SIZES :

Due to the 70° seat angle, New Deal frames feel shorter than their size :

- New Deal 20.7" feels like a 20.4"/20.5" frame, with more room between handlebar and seat
- New Deal 21.0" feels like a 20.7"/20.8" frame, with more room between handlebar and seat
- New Deal 21.4" feels like a 21.1"/21.2" frame, with more room between handlebar and seat

## New Deal Frame

For pegless riders, ultra modern street frame.



## Frame comparator

	Mirror	Cooper	New Deal				
<b>GEOMETRY</b>							
<b>Top tube</b>	21"	20,75"	21"	21,25"	20,7"	21"	21,4"
<b>Head angle</b>	75,3°	75°	75°	75°	75°	75°	75°
<b>Seat angle</b>	69°	69°	69°	69°	70°	70°	70°
<b>Rear triangle</b>	13,2"	13,2"	13,2"	13,2"	13,4"	13,4"	13,4"
<b>BB height</b>	11,5"	11,6"	11,6"	11,6"	11,6"	11,6"	11,6"
<b>Seat tube height</b>	260 mm 10,2"	215 mm 8,5"	215 mm 8,5"	215 mm 8,5"	220 mm 8,7"	220 mm 8,7"	220 mm 8,7"
<b>SPECS</b>							
<b>Average weight</b>	2,15 kg 4,75 lbs	2,20 kg 4,85 lbs	2,20 kg 4,85 lbs	2,20 kg 4,85 lbs	2,15 kg 4,75 lbs	2,15 kg 4,75 lbs	2,15 kg 4,75 lbs
<b>Headset standard</b>	Campagnolo 45°/45° 41,8 mm	Campagnolo 45°/45° 41,8 mm	Campagnolo 45°/45° 41,8 mm	Campagnolo 45°/45° 41,8 mm	Campagnolo 45°/45° 41,8 mm	Campagnolo 45°/45° 41,8 mm	Campagnolo 45°/45° 41,8 mm
<b>BB shell</b>	Spanish O.D. 37 mm bearings	Spanish O.D. 37 mm bearings	Spanish O.D. 37 mm bearings	Spanish O.D. 37 mm bearings	Spanish O.D. 37 mm bearings	Spanish O.D. 37 mm bearings	Spanish O.D. 37 mm bearings
<b>D-shape chainstays</b>	Of course	Of course	Of course	Of course	Of course	Of course	Of course
<b>Chain tensioners</b>	welded inside dropouts	welded inside dropouts	welded inside dropouts	welded inside dropouts	welded inside dropouts	welded inside dropouts	welded inside dropouts
<b>Gyro tabs holes</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Brake stuff</b>	All removable	All removable	All removable	All removable	All removable	All removable	All removable
<b>Rear cable route</b>	Inside or outside seat tube	Inside or outside seat tube	Inside or outside seat tube	Inside or outside seat tube	Inside or outside seat tube	Inside or outside seat tube	Inside or outside seat tube
<b>Seat clamp</b>	Integrated seat post, which can be cut	Integrated with replaceable nut	Integrated with replaceable nut	Integrated with replaceable nut	Strawberry® internal	Strawberry® internal	Strawberry® internal
<b>Dropouts</b>	Small, 4 mm, for 14 mm axle	Medium, 5 mm, for 14 mm axle	Medium, 5 mm, for 14 mm axle	Medium, 5 mm, for 14 mm axle	Small/Medium, 4 mm, for 14 mm axle	Small/Medium, 4 mm, for 14 mm axle	Small/Medium, 4 mm, for 14 mm axle
<b>RECOMMANDATIONS</b>							
<b>Pegs use</b>	Best with Micropegs	Yes	Yes	Yes	Yes	Yes	Yes
<b>Minimum seat post length</b>		35 mm - 1,4"	35 mm - 1,4"	35 mm - 1,4"	50 mm - 2"	50 mm - 2"	50 mm - 2"



Ben Gea - photo : Vincent Perraud

## Revolte Stem

The great Revolte stem becomes greater.



### FEATURES :

- Refined design, lighter
- 6061-T6 alloy
- 49 mm or 53 mm reach for a perfect bar-to-seat adjustment
- 4 hollow bolts
- Wedge clamp solution
- 265 grams / 9.4 oz
- Reusable packing : Superstar sweat-band

**2009 Colors :**  
 black blasted, gold blasted, raw silver

## Hollow stem bolts



### FEATURES :

- M8 x 25 mm
- Compatible with most of the stems on the market
- 4 bolt pack
- 11 grams / 0.4 oz each
- Minimal packing for waste reduction

## Micro pegs



### Original Micropeg

- for pegless use, protects axle + can be used as small peg
- 2 sizes : 3/8" axle and 14 mm axle
- Heat treated cr-mo
- Includes a steel washer
- Sold as 1 piece
- 3/8" mm : 52 grams / 1.8 oz
- 14 mm : 36 grams / 1.3 oz
- Minimal packing for waste reduction
- Color : black



### Female Micropeg

- Same functions as the Original, for female hub
- 2 sizes : for 3/8" slot and 14 mm slot
- Heat treated cr-mo
- Includes a 3/8" x 24 tpi Allen bolt
- Sold as 1 piece
- 3/8" mm : 46 grams / 1.6 oz
- 14 mm : 49 grams / 1.7 oz
- Minimal packing for waste reduction
- Color : black

## Duty rims

### FEATURES :

- Brakeless welded rim
- 36 holes
- Perfect for a light front wheel
- can be used on rear wheel too
- Superstar white nylon rim tape included
- 425 grams / 15.2 oz

**2009 Colors :**  
 black, dark gold, brown



## Sweet Sweep Bars

3 saw lines for clear cut outside, many butted inside, threaded bar ends ready.



### FEATURES :

3 sizes : 7.7", 26.0" wide / 8.0", 28.5" wide / 8.3", 28.5" wide  
 100 % heat treated multibutted Cr-Mo  
 19 mm crossbar  
 13° back sweep / 4° up sweep  
 Threaded ends to tight Superstar bar ends. M20 x 1.5 thread  
 3 saw lines each side for a clean cut  
 630 grams / 23 oz

**2009 Colors :**  
 black, royal blue, brown

## Bar ends

For Superstar Sweet Sweep handlebars.



### FEATURES :

M20 x 1,50 thread  
 compatible with Tree Bicycle Co. bars.  
 2 versions : 6061-T6 alloy or synthetic  
 Minimal packing for waste reduction

### 2009 Colors :

Alloy : black blasted, gold blasted, raw silver  
 Synthetic : black



## Front wheel

A good hub laced to a good rim with good spokes = good wheel.

### FEATURES :

Lightweight brakeless front wheel  
 Superstar Duty rim  
 Superstar Overdrive front hub  
 36 strong stainless steel spokes, 3 cross  
 920 grams / 2.03 lbs

**2009 Colors :**  
 hub = black  
 rim = black, dark gold, brown

## Hub bolts



### Normal axle bolt

For female hub  
 3/8" x 24 tpi, 30 mm long  
 Cr-mo  
 For 8 mm Allen key  
 Includes a steel washer  
 Sold as 2 pieces  
 Minimal packing for waste reduction

### Flush axle bolt

For female hub, low stack  
 3/8" x 24 tpi, 30 mm long  
 Cr-mo  
 For 6 mm Allen key  
 Includes an alloy washer  
 Sold as 2 pieces  
 Minimal packing for waste reduction

### Hex axle bolt

For female hub, for peg use  
 (easier to tight)  
 3/8" x 24 tpi, 30 mm long  
 Cr-mo  
 For 17 mm socket wrench  
 Sold as 2 pieces  
 Minimal packing for waste reduction

not shown



## overdrive Front hub

Superstar vision of front hub.



### FEATURES :

- Street proof hub
- Pegs compatible
- 36 holes
- Heat treated Cr-Mo female axle
- 6061-T6 alloy bi-conic body with die-cut star logo
- Thick flanges
- 7075-T6 alloy cones and washers
- 3/8" x 24 tpi bolts
- All replacement hardware available
- Ultra light 7075-T6 alloy axle available (save 45 grams / 1.6 oz)
- 245 grams / 8.7 oz including Cr-Mo bolts

**2009 Colors :** black blasted



## Pimp sprockets

Timeless simple design.

### FEATURES :

- 7075-T6 alloy
- 15/16" hole + 19 mm and 22 mm adaptors
- 23T = 5.0 mm thick, 43 grams / 1.5 oz
- 25T = 6.8 mm thick, 56 grams / 1.9 oz
- 27T = 8.6 mm thick, 82 grams / 2.9 oz
- 28T = 8.6 mm thick, 84 grams / 2.9 oz
- 30T = 8.6 mm thick, 94 grams / 3.3 oz
- Minimal packing for waste reduction

**2009 Colors :** black blasted, gold blasted, raw silver

## Pimpdisc sprockets

Timeless simple design, with a guard.



### FEATURES :

- 6061-T6 alloy
- 11,35 mm thick (including guard)
- 15/16" hole + 19 mm and 22 mm adaptors
- 23T = 97 grams / 3.4 oz
- 25T = 108 grams / 3.8 oz
- 28T = 123 grams / 4.3 oz
- Minimal packing for waste reduction

**2009 Colors :** black blasted, raw silver

## Front hub guard



### FEATURES :

- M20 7075-T6 alloy
- 62 mm - 3/8" for Flybikes...
- 42 grams / 1.5 oz
- Minimal packing for waste reduction

**2009 Colors :** blasted black, Superstar grey, light gold

## Superstrong half-link



### FEATURES :

- Really strong 2 pitch half link
- German made by Wippermann
- For 1/2" x 1/8" chain only
- 8 grams / 0.3 oz

## U brake



### FEATURES :

- Forged 6061-T6 alloy
- Flat face ball bearing pivots
- Low stack 22 mm
- Custom round cable nuts for accurate cable line
- Red soft pads
- 207 grams / 7.3 oz
- Minimal packing for waste reduction

**2009 Colors :**  
black blasted, gold blasted, raw silver

## Spanish BB set



### FEATURES :

- 2 sizes : 19 mm axle and 22 mm axle with spacer, cones and washers
- 138 grams / 4.9 oz (19 mm)
- 119 grams / 4.2 oz (22 mm)
- Minimal packing for waste reduction
- 2009 color : black



Will Gunn - photo : Michael Steingraber



Ruslan Kurilin - photo : Maxim Kotsyumakha

# Warrantly

Contact us for any warranty issue at [question@superstarbmx.com](mailto:question@superstarbmx.com)

We handle warranty issues case by case, with a happy ending, most of the time.

However we might not replace all damaged frames or parts, because warranty does not cover normal wear and tear, misuse or neglect, or modification of the frame or part. Warranty applies only to the original owner and is not transferable. Superstar shall not be responsible for incidental or consequential damages.

# Distributors

## AUSTRIA

La Finca (Germany)  
[www.la-finca-distribution.de](http://www.la-finca-distribution.de)  
[info@la-finca-distribution.de](mailto:info@la-finca-distribution.de)

## AUSTRALIA

Kickassbmx  
[www.kickassbmx.com](http://www.kickassbmx.com)  
[bmx@kickassbmx.com](mailto:bmx@kickassbmx.com)

## CENTRAL EUROPE

Gorb-X / Harlee  
[www.harlee-shop.com](http://www.harlee-shop.com)  
[online@harlee-shop.com](mailto:online@harlee-shop.com)

## CHINA

BMX-Part  
[www.bmx-part.com](http://www.bmx-part.com)  
[mcmcmu@hotmail.com](mailto:mcmcmu@hotmail.com)

## FRANCE

Frenchys Distribution  
[www.frenchys-distribution.com](http://www.frenchys-distribution.com)  
[infos@frenchys-distribution.com](mailto:infos@frenchys-distribution.com)

## COLOMBIA

Tienda Flatland  
[www.tiendaflatland.com](http://www.tiendaflatland.com)  
[tiendaflatland@gmail.com](mailto:tiendaflatland@gmail.com)

## GERMANY

**(+ AUSTRIA & SWITZERLAND)**  
La Finca  
[www.la-finca-distribution.de](http://www.la-finca-distribution.de)  
[info@la-finca-distribution.de](mailto:info@la-finca-distribution.de)

## HUNGARY + CENTRAL EUROPE

Gorb-X / Harlee  
[www.harlee-shop.com](http://www.harlee-shop.com)  
[online@harlee-shop.com](mailto:online@harlee-shop.com)

## JAPAN

Dirty Bike  
[www.dirtybike.com](http://www.dirtybike.com)  
[dirtybike@dirtybike.com](mailto:dirtybike@dirtybike.com)

## KOREA

4130Bike  
[www.4130.co.kr](http://www.4130.co.kr)  
[lee@bmxkorea.com](mailto:lee@bmxkorea.com)

## LATVIA

Par BMX  
[www.parbmx.com](http://www.parbmx.com)  
[info@parbmx.com](mailto:info@parbmx.com)

## MEXICO

Ortiz BMX  
[www.ortizbmx.com](http://www.ortizbmx.com)  
[ortizbmx@yahoo.com.mx](mailto:ortizbmx@yahoo.com.mx)

## THE NETHERLANDS

SC distribution  
[www.scdistribution.nl](http://www.scdistribution.nl)  
[info@scdistribution.nl](mailto:info@scdistribution.nl)

## NORWAY

Element  
[www.bmxelement.no](http://www.bmxelement.no)  
[element@bmxelement.no](mailto:element@bmxelement.no)

## PHILIPPINES

Flip Bykes  
[www.flipbykes.com](http://www.flipbykes.com)  
[info@flipbykes.com](mailto:info@flipbykes.com)

## POLAND

Proletaryat BMX  
[www.proletaryatbmx.pl](http://www.proletaryatbmx.pl)  
[kuki@proletaryatbmx.pl](mailto:kuki@proletaryatbmx.pl)

## RUSSIA

Hellride  
[www.hellride.ru](http://www.hellride.ru)  
[info@hellride.ru](mailto:info@hellride.ru)

## SINGAPORE

20 Inch Circle  
[www.20incho.com](http://www.20incho.com)  
[sales@20incho.com](mailto:sales@20incho.com)

## SPAIN

Action Wheels Distribution  
[RICARDO4130@telefonica.net](mailto:RICARDO4130@telefonica.net)

## SWITZERLAND

La Finca (Germany)  
[www.la-finca-distribution.de](http://www.la-finca-distribution.de)  
[info@la-finca-distribution.de](mailto:info@la-finca-distribution.de)

## TAIWAN

Friendly Distribution  
[www.wretch.cc/blog/vickykatie](http://www.wretch.cc/blog/vickykatie)

## UNITED KINGDOM

Zeal BMX  
[www.zealbmx.com](http://www.zealbmx.com)  
[info@zealbmx.com](mailto:info@zealbmx.com)

## USA

Sidewall Distribution  
[www.sidewalldistro.com](http://www.sidewalldistro.com)

## OTHERS COUNTRIES

Please contact us  
for distribution solutions

[www.superstarbmx.com](http://www.superstarbmx.com)