



S U P E R S T A R

2013 PRODUCTS CATALOGUE



THIS IS SUPERSTAR

We, at Superstar, have spent the last ten years thinking about how BMX parts could be better, stronger and easier to use. During this time and following our own trends, we have continued designing and creating innovative and technical products.

With the 2013 products range, we offer you the strength and simplicity we adhere to, with a new collection of frames and parts which we're sure you will like.



2013 FRAMES

Arnaud MALTHIEU
photo Vincent Perroud

FRAMES



COMPASS

all around street-oriented frame, pegs compatible

GEOMETRY

top tube : 20.6", 21.0", 21.3"
chainstays : 13.4"
head angle : 75°
seat angle : 70°
BB height : 11.6"
stand over : 8.2"



COMPLETE SPECS

strong tubes : 100 % Sanko cr-mo tubing
gusset under top tube
bulged seat stays near seat tube
tapered seat stays near dropouts, round tips
19 mm D-shape chain stays (dent free)
wide tire friendly rear triangle, up to 2.35"
7 mm investment cast hollow dropouts, peg-sized, for 14 mm axle

Campagnolo-style internal head tube (heat treated)
Spanish bottom bracket (heat treated)
completely removable brake/gyro parts
internal seat clamp in top tube, Strawberry patent

2.20 kg / 4.85 lbs
2013 colors : ED-black, raw clear coating

Do not use dual lower cable with removable cable stops. Only 2-in-1 regular defangler cable

FRAMES



FLAGSHIP

pure street frame, pegs compatible

GEOMETRY

top tube : 20.6", 21.0", 21.3"
chainstays : 13.3"
head angle : 75°
seat angle : 70°
BB height : 11.7"
stand over : 8.6"



COMPLETE SPECS

strong tubes : 100 % Sanko cr-mo tubing
gusset under down tube and above top tube
bulged seat stays near seat tube
tapered seat stays near dropouts, round tips
19 mm D-shape chain stays (dent free)
wide tire friendly rear triangle, up to 2.35"
7 mm investment cast hollow dropouts, peg-sized, for 14 mm axle

integrated chain tensioners through dropouts
Campagnolo-style internal head tube (heat treated)
Spanish bottom bracket (heat treated)
completely removable brake/gyro parts
low weld-on seat clamp with replaceable bolt and nut
2.33 kg / 5.15 lbs
2013 colors : ED-black, red clear coating

Do not use dual lower cable with removable cable stops. Only 2-in-1 regular detangler cable

A BMX rider in a white t-shirt and blue jeans is performing a wheelie on a wooden rail. The rail is supported by blue-painted metal posts. The rider is leaning forward, holding the handlebars. In the background, there are trees, a house, and other people watching. The scene is outdoors on a sunny day.

2013 FORKS & HANDLEBAR

FORKS

NEUTRAL 35mm

100 % heat treated Cr-Mo
1 pc CNC + butted + fluted head tube, 165 mm long
integrated crown cone for integrated headset only
triple butted + fluted + taper 31.8 mm to 22 mm legs
medium 5 mm dropouts, for 3/8" axle
35 mm offset
round tips at bottom of legs
M25 top cap (18 grams / 0.6 lb), available separately
980 grams / 2.15 lbs
2013 colors : ED-black, chrome



NEUTRAL 25mm

100 % heat treated Cr-Mo
1 pc CNC + butted + fluted head tube, 165 mm long
integrated crown cone for integrated headset only
triple butted + fluted + taper 31.8 mm to 22 mm legs
small 4 mm dropouts, for 3/8" axle
25 mm offset
angled tips at bottom of legs
M25 top cap (18 grams / 0.6 lb), available separately
930 grams / 2.05 lbs
2013 colors : ED-black, chrome

HANDLEBAR



SWINGER

3 sizes : 8.3", 29" wide / 8.8", 29" wide / 9.2", 29.5" wide

100 % heat treated multibullted Cr-Mo

19 mm crossbar

12° backsweep


2° upsweep

4 saw lines each side for a clean cut

engraved size on one side

915 grams / 32.7 oz (size 9.2")

2013 colors : ED-black, chrome



A BMX rider is captured mid-air, performing a high jump over a graffiti-covered ramp. The rider is wearing a dark t-shirt and shorts, and is holding the handlebars of their bike. The ramp is painted with various graffiti, including a large cartoon character with a red hat and a blue body. The background is filled with lush green trees, suggesting an outdoor park setting. A black banner with white text is overlaid on the image.

2013 CRANKS & SPROCKETS

Arnaud MALTHIEU
photo - Vincent Perraud

CRANKS

DUTY REGULAR OR SPLINED

strong tubular 3-pc crank

2 versions :

- splined for splined sprocket only (no pin drive)

- regular : RHD/LHD compatible (not shown)

19 mm heat treated cr-mo hollow axle, 48 splines

heat treated cr-mo arms

arm length : 170 mm, 175 mm

internally threaded axle boss for easy removal

very low profile, ankle-friendly arms

810 grams / 29 oz

2013 colors : black, chrome



SPROCKETS



PROCESS SPLINED

7075-T6 alloy
splined hole for 19 mm 48-spline crank axle
6.35 mm thick
25T or 28T
75 grams / 2.7 oz [25T]
2013 color : black



PIMP

7075-T6 alloy
15/16" hole + 19 mm and 22 mm adaptors
6.35 mm thick
25T or 28T
56 grams / 1.9 oz [25T]
2013 colors : black, silver, red

PROCESS

7075-T6 alloy
15/16" hole + 19 mm and 22 mm adaptors
6.35 mm thick
25T, 27T or 28T
62 grams / 2.2 oz [25T]
2013 colors : black, silver, red



2013 HUBS & GUARDS

HUBS

OVERDRIVE FRONT

- street proof hub
 - pegs compatible
 - 36 holes
 - heat treated Cr-Mo female axle
 - 6061-T6 alloy body with die-cut star logo
 - thick flanges
 - 3/8" x 24 tpi Cr-Mo CNC hex bolts
 - light 7075-T6 alloy axle available (save 45 grams / 1.6 oz)
 - 280 grams / 10 oz including CNC hex bolts
 - 2013 colors : black, silver, red
- RECOMMENDED SPOKE LENGTH** : 183 mm with 16 mm nipple



OVERDRIVE CASSETTE

- 36 holes
- pegs compatible
- heat treated Cr-Mo female axle
- 6061-T6 alloy body
- 4 wide pawls with dual spring
- 1 pc Cr-Mo driver, 9T right
- 3/8" x 24 tpi Cr-Mo CNC hex bolts
- 515 grams / 20.2 oz
- 2013 colors : black, silver, red

RECOMMENDED SPOKE LENGTH : 181 mm, with 16 mm nipple

GUARDS

for female axle



for male axle



for Profile Mini



FRONT HUB GUARDS

7075-T6 alloy

52 mm outer diameter

3 versions :

- for Superstar Overdrive female axle (15 mm central hole), 35 grams / 1.2 oz
- for 3/8" male axle (3/8"x26tpi threaded central hole), 29 grams / 1.0 oz
- for Profile Mini female axle (17 mm central hole), 35 grams / 1.2 oz

sold as 1 pc

2013 color : black



REAR HUB GUARD

7075-T6 alloy

64 mm outer diameter

for Superstar Overdrive cassette hub (from 2012)

80 grams / 2.8 oz

sold as 1 pc

2013 color : black



2013 STEMS & BEARINGS

STEMS



MERCURY

6061-T6 alloy
49 mm or 53 mm extension
rise (top load) : + 26 mm
rise (inverted) : + 4mm
dissymetrical bar clamps for smooth front surface
fork cap hole for hidden cap from sideview
4 hollow bolts
295 grams / 10.5 oz
2013 colors : black, silver, red



ORION

6061-T6 alloy
49 mm extension
rise (normal mount) : + 7 mm
rise (opposite mount) : + 23 mm
dissymetrical bar clamps for smooth top surface
fork cap hole for hidden cap from sideview
4 hollow bolts
266 grams / 9.5 oz
2013 colors : black, silver, red



BEARINGS



HEADSET

low stack cap : 4 mm lower than the average cap
Compaagnolo compatible
58 grams / 2.1 oz
2013 colors : black, silver, red



SPANISH BB SET

2 sizes : 19 mm axle and 22 mm axle
with spacer, cones and washers
138 grams / 4.9 oz (19 mm)
119 grams / 4.2 oz (22 mm)
2013 color : black



2013 RIM & PEGS

RIM



DUTY WELDED RIM

rounded profile
welded joint
sidewall are high enough to use brake
36 holes
Superstar nylon rim tape included (also available separately)
439 grams / 15.7 oz
2013 color : black

PEGS

MICRO PEGS

ORIGINAL

for pegless use, protects axle + can be used as small peg

2 sizes : 3/8" axle and 14 mm axle

heat treated cr-mo

includes a steel washer

sold as 1 piece

3/8" mm : 52 grams / 1.8 oz

14 mm : 36 grams / 1.3 oz

FEMALE

Same functions as the Original, for female hub

2 sizes : for 3/8" slot and 14 mm slot

heat treated cr-mo

includes a 3/8" x 24 tpi Allen bolt

sold as 1 piece

3/8" mm : 46 grams / 1.6 oz

14 mm : 49 grams / 1.7 oz

LONG PEGS

heat treated Cr-Mo

O.D. 34 mm

100 mm long

14 mm hole + 3/8" adaptor

anti rotation pin, 3 positions

sold as 1 piece

220 grams / 7.8 oz (1 pc)

2013 colors : black, chrome



A BMX rider in a blue tank top and shorts is performing a wheelie on a purple bike. The rider is balancing on a large, thick tree trunk that is leaning diagonally across the frame. The background shows a park with green trees, a grassy area, and a body of water in the distance. The sky is overcast.

2013 WHEELS

WHEELS

OVERDRIVE FRONT WHEEL

lightweight brakeless front wheel

Superstar Duty Welded rim

Superstar Overdrive front hub

36 strong stainless steel spokes, 3 cross
spoke length : 183 mm, with 16 mm nipple

945 grams / 2.08 lbs

2013 colors : all black, black rim + silver hub,
black rim + red hub



WHEELS

OVERDRIVE REAR WHEEL

lightweight rear wheel (brake compatible)

Superstar Duty Welded rim

Superstar Overdrive cassette hub 9T RHD

36 strong stainless steel spokes, 3 cross
spoke length : 181 mm, with 16 mm nipple

1160 grams / 2.56 lbs

2013 colors : all black, black rim + silver hub,
black rim + red hub





2013 SEATS & PEDALS

SEATS

THICK SEAT

Pivotal thick seat
kevlar cover with embroded logo
295 grams / 10.5 oz
2013 color : black



THIN SET

Pivotal slim seat
kevlar cover with embroded logo
248 grams / 8.8 oz
2013 color : black



PIVOTAL SEATPOST

1-pc forged seatpost
135 mm long
90 grams / 3.2 oz
2013 color : black, silver, red

PEDALS



NYLON PEDALS

high resistant nylon body
9/16" cr-mo axle
axle cap with Superstar logo
382 grams / 13.6 oz
2013 colors : black, red, blue, green, purple



ALLOY PEDALS

traditional platform shape
alloy body
9/16" cr-mo axle
loose balls
replaceable screw pins
axle cap with Superstar logo
436 grams / 15.6 oz
2013 colors : black, silver, red



PC PEDALS

clear/translucent PC body
9/16" cr-mo axle
axle cap with Superstar logo
353 grams / 12.6 oz
2013 colors : black, clear, red, green



PC PINS PEDALS

clear/translucent PC body
removable steel pins
9/16" cr-mo axle
axle cap with Superstar logo
398 grams / 14.2 oz
2013 color : black

A BMX rider in a black tank top and dark pants is performing a wheelie on a cobblestone ramp. The rider is silhouetted against a bright background. The background features a building with horizontal slat siding and a white fence. The ground is a mix of cobblestones and grass.

2013 PARTS

PARTS



WEDGE SEAT PIN

the famous pin from the Strawberry patent
compatible with 2013 Compass frame
compatible with 2013 Flagship frame
compatible with 2011-2012 Carlton frame
compatible with 2011-2012 Watson frame
compatible with 2008-2010 New Deal frame



BRAKE PARTS

compatible with any 2009-2013 Superstar frames
compatible with many frames on the market



FORK TOP CAP

compatible with Neutral 25 and Neutral 35 forks
compatible with any fork using M25 thread
7075-T6 alloy
through hole for 6 mm allen key
18 grams / 0.6 lb



RIM TAPES

vinyl coated plastic
20 mm wide
sold as pair



STEM BOLTS

M8 x 25 mm
compatible with most of the stems on the market
4 bolt pack
11 grams / 0.4 oz each



CNC HEX AXLE BOLT

for female hub, better for peg use
3/8" x 24 tpi, 30 mm long
CNC from cr-mo material, for great strength
for 17 mm socket wrench
sold as 2 pieces

DISTRIBUTION

AUSTRIA

La Finca (Germany)
www.la-finca-distribution.de
info@la-finca-distribution.de

AUSTRALIA NEW ZEALAND

KickassBMX
www.kickassbmx.com
bmx@kickassbmx.com

BELARUS

BMX.BY Shop
www.bmx-by-shop.by / www.bmx.by
info@bmx.by

BELGIUM LUXEMBOURG

Rock n Roll BMX Distribution
www.rockrollbmx.com
info@rockrollbmx.com

CANADA

Unicorn Bicycle Distribution
www.unicorndistribution.com
Unicornbikes@gmail.com

CHINA

China BMX
www.chinabmx.com
958724716@qq.com

COLOMBIA

Free Culture Shop
www.freecultureshop.com
info@freecultureshop.com

DENMARK

Signature BMX (Finland)
www.signaturebmx.com
info@signaturebmx.com

ESTONIA

On Wheels
www.onwheels.ee
info@onwheels.ee

FINLAND

Signature BMX
www.signaturebmx.com
info@signaturebmx.com

FRANCE

Ezco
www.ezco.fr
contact@ezco.fr

GERMANY

AUSTRIA SWITZERLAND

La Finca
www.la-finca-distribution.de
info@la-finca-distribution.de

HUNGARY

**CENTRAL EUROPE
Gorb-X / Harlee**
www.harlee-shop.com
online@harlee-shop.com

INDONESIA

Artell Pro Cycle
www.artellprocycle.com
info@artellprocycle.com

JAPAN

Delirium Family
www.delirium-family.com
info@delirium-family.com

KAZAKHSTAN

Beltorg
www.velo.kz
beltorg@velo.kz

KOREA

4130Bike
www.4130.co.kr
lee@bmxkorea.com

LATVIA

Par BMX
www.parbmx.com
info@parbmx.com

MEXICO

Ortiz BMX
www.ortzbmx.com.mx
sergio@ortzbmx.com.mx

THE NETHERLANDS

Rock n Roll BMX Distribution
www.rockrollbmx.com
info@rockrollbmx.com

NORWAY

**SWEDEN
Element**
www.bmxelement.no
element@bmxelement.no

PHILIPPINES

Flip Bykes
www.flipbykes.com
info@flipbykes.com

POLAND

Proletariat BMX
www.proletariatbmx.pl
kuki@proletariatbmx.pl

RUSSIA

Hellride
www.hellride.ru
info@hellride.ru

SINGAPORE

20 Inch Circle
www.20incho.com
sales@20incho.com

SPAIN

Action Wheels Distribution
actionbmxshop.net
actionbmxshop@gmail.com

SWEDEN

Element
(see Norway)
Signature BMX
(see Finland)

SWITZERLAND

La Finca (Germany)
www.la-finca-distribution.de
info@la-finca-distribution.de

TAIWAN

Friendly Distribution
www.wretch.cc/blog/vickykatie

UNITED KINGDOM

Zeal BMX
www.zealbmx.com
info@zealbmx.com

USA

Sidewall Distribution
www.sidewalldistro.com





Pierre BLONDEL
photo - Antoine Petek

 SUPERSTAR

WWW.SUPERSTARBMX.COM

Any question ? question@superstarbmx.com

Warranty

Contact us for any warranty issue. We handle warranty issues case by case, with a happy ending, most of the time. However we might not replace all damaged frames or parts, because warranty does not cover normal wear and tear, misuse or neglect, or modification of the frame or part. Warranty applies only to the original owner and is not transferable. Superstar shall not be responsible for incidental or consequential damages.